

SPECIFICATIONS

Page 1 of 3

FR1064927

ITEM NO.	DESCRIPTION	CHECK IF AS SPECIFIED	DESCRIBE FULLY IF NOT AS SPECIFIED
	Shear and form Sharp of 16 gauge. Galvanized steel Guttering All related parts, hanging fasteners, and Roof strapping.		
1	Door #1 16 gauge Galvanized Metal 6" x 6" Shear and form gutter sharp max stretch out is 16" ship in 120" length Length 25' x 6" straight run with 7' x 6" turn Cut in one hole for downspout starter 2 cut end caps, one downspout starter, gutter straps 20 qty (12 ga Galv 1 ½ x 12" bent typ) Down spout length 13' -6" Downspout is a buyout 3" x 4" corrugated 24 gauge		
2	Door# 2 & 3 16 gauge Galvanized Metal 6" x 6" Shear and form gutter sharp max stretch out is 16" ship in 120" length Length is 80' straight run Cut in one hole for downspout started 2 end caps, one downspout started, gutter straps 40 qty Down spout length 48" Downspout is a buyout 3" x 4" corrugated 24 gauge		

SPECIFICATIONS

Page 2 of 3

FR1064927

3	<p>Door #4 & 5</p> <p>16 gauge Galvanized Metal 6" x 6"</p> <p>Shear and form gutter sharp max stretch out is 16" ship in 120" length</p> <p>Length is 55' straight run</p> <p>Cut in one hole for downspout started</p> <p>2 end caps, one downspout started, gutter straps 30 qty</p> <p>Down spout length 48"</p> <p>Downspout is a buyout 3" x 4" corrugated 24 gauge</p>		
4	<p>Door # 6 & 7</p> <p>16 gauge Galvanized Metal 6" x 6"</p> <p>Shear and form gutter sharp max stretch out is 16" ship in 120" length</p> <p>Length is 55' straight run</p> <p>Cut in one hole for downspout started</p> <p>2 end caps, one downspout started, gutter straps 30 qty</p> <p>Down spout length 72"</p> <p>Downspout is a buyout 3" x 4" corrugated 24 gauge</p>		
	<p>Color to match existing</p> <p>Warranty</p> <p>No installation needed, the Dept. of Corrections will install.</p>		

SPECIFICATIONS

Page 3 of 3

FR1064927

	<p>Mandatory Site Visit has been scheduled : Date of site visit has been arranged for one day only</p> <p>Site Visit Date: Friday May 21, 2010 Time: 9:00 am pst Location: Airway Heights Corrections Center 11919 W. Sprague Ave Airway Heights, WA 99001 Institution Point of Contact: Dennis Ryan 509-244-6782</p> <p>In order to gain access to Airway Heights Correction Center, each person attending the site visit must contact Tina Hansen (509) 244-6773 for clearance forms. The completed forms will have to be e-mailed to Tina Hansen no later than Friday the May 14, 2010.</p> <p>Bidders that fail to provide the criminal History Clearance within the specified time will not be allowed to attend the site visit.</p>		